glass outlet

SQ50 RANGE

PREMIUM STAINLESS STEEL 50.8 X 50.8MM POSTS, RAILS & ACCESSORIES

	POLISH	SATIN	MATT BLACK
SQUARE 50.8MM **HEAVY DUTY POST WITH BASE PLATE – WELDED** CODE: SQ50-1300-HDBP LENGTH 1300MM INCLUDES DOMICAL COVER & TOP CAP 50.8X50.8MM PROFILE; 2MM WALL THICKNESS SS316			
SQUARE 50.8MM **HEAVY DUTY CORE DRILL POST** CODE: SQ50-1400-HD LENGTH 1400MM INCLUDES TOP CAP 50.8X50.8MM PROFILE; 2MM WALL THICKNESS SS316			
SQUARE 50.8MM **HEAVY DUTY CORE DRILL POST** CODE: SQ50-5800S-5050 LENGTH 5800MM 50.8X50.8MM PROFILE; 2MM WALL THICKNESS SS316			NOT AVAILABLE
SQUARE 50.8MM **DRESS RING** CODE: SQ50-DR 110X110MM OUTER DIMENSION SS316				
SQUARE 50.8MM **DOMICAL COVER** CODE: SQ50-DC 126MM L X 106MM W X 19.5MM H SS316				
SQUARE 50.8MM **HEAVY DUTY TOP CAP** CODE: SQ50-HDTC SS316				

		POLISH	SATIN	MATT BLACK
SQUARE 50.8MM CODE: SQ50-BP 120MM L X 100MM W X 8MM H SS316				NOT AVAILABLE
SQUARE 50.8MM **OBLONG FLANGE** CODE: SQ50-OBP SS316				NOT AVAILABLE
SQUARE 50.8MM **INLINE JOINER** CODE: SQ50-J SS316				NOT AVAILABLE
SQUARE 50.8MM **SWIVEL JOINER** CODE: SQ50-JS ADJUSTABLE ANGLE JOINER SS316				NOT AVAILABLE
SQUARE 50.8MM **T JOINER** CODE: SQ50-JT SS316				NOT AVAILABLE
SQUARE 50.8MM **90° JOINER** CODE: SQ50-J90 SS316				NOT AVAILABLE
SQUARE 50.8MM **90° T JOINER** CODE: SQ50-J90T SS316				NOT AVAILABLE

		POLISH	SATIN	MATT BLACK
SQUARE 50.8MM **RAIL SUPPORT** CODE: SQ50-RS INCLUDES FLAT & 50.8MM DIA SADDLES SS316				NOT AVAILABLE
SQUARE 50.8MM **RAIL SUPPORT WITH SWIVEL CURVED & FLAT SADDLES** CODE: SQ50-RS-SWI INCLUDES FLAT & 50.8MM DIA SADDLES IDEAL FOR STAIRCASES SS316				NOT AVAILABLE
SQUARE 50.8MM **INTERNAL PERPENDICULAR JOINER** CODE: SQ50-IPD SS316				
PARIS OFFSET BRACKET CODE: PARIS-OB-SQ INNOVATIVE OFFSET NON-WELD RAIL CONNECTOR INCLUDES FLAT & 50.8MM DIA SADDLES SS316				NOT AVAILABLE
PARIS SQUARE POST SCREW SET CODE: PARIS-PS-SQ INTERNAL FIXING BLOCK BLOCK SIMPLY DROPS INTO SQ50 POSTS FOR FIXING OFF SUITS POLISH & SATIN FINISH BRACKETS SS316				

HOW TO USE THE PARIS BRACKET



Drill hole in post to accommodate Paris offset bracket

Lower internal block into post - line up block with drilled hole in post

Secure block in place with washer and mounting screw



Position Paris offset bracket over mounting screw

Tighten grub screw to secure in place

Attach desired handrail support